

FIG. 1A  
(PRIOR ART)




FIG. 1B  
(PRIOR ART)





FIG. 1C  
(PRIOR ART)

LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown Atty Docket: ASMEX.419A



**FIG. 1D**  
(PRIOR ART)

## Keeton et al.

Atty Docket: ASMEX.419A



LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown

Atty Docket: ASMEX.419A




FIG. 3A




FIG. 3B




FIG. 3C

LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown

Atty Docket: ASMEX.419A




Figure 3D





Figure 3E

LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown Atty Docket: ASMEX.419A




**FIG. 4**

LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown Atty Docket: ASMEEX.419A



LOW/HIGH TEMPERATURE SUBSTRATE HOLDER TO REDUCE  
EDGE ROLLOFF AND BACKSIDE DAMAGE

Keeton et al.

Appl. No.: Unknown

Atty Docket: ASMEX.419A




FIG. 5B